


Particular Commercial Lighting



COLOR PRO

R9>50
R13>85
R15>85

- ◆ CRI = 90~95
- ◆ High Efficiency

Balance of Color -
unique color performance ▶


R9 LOOK MORE GORGEOUS
R9>50

R13 LOOK MORE PRETTY
R13>85


R15 LOOK MORE GLAMOROUS
R15>85



Other LED lamp



COLOR PRO



Efficiency-
high CRI with high Efficiency

Color Pro not only let our customer enjoy the advantage of high CRI, but gain the benefit of low cost.




product

								Real value		
Product		Halogen Equivalent	LED	Voltage (V)	Power (W)	Flux (lm)	Ra	R9	R13	R15
	MR11	20W	Multiple	12	3	225	90	62	96	92
	MR16	20W	Multiple	12	4	300	91	61	95	91
		35W	Multiple	12	5.5	480	95	62	95	89
		50W	Multiple	12	7.5	650	93	60	95	90
		50W	COB	12	7.0	660	92	65	95	92
	G4 Side Bi-Pin	20W	Multiple	12	2.5	180	92	60	95	90
	G4	10W	Multiple	12	1.1	110	90	60	94	90
	PAR16	20W	Multiple	200-240	3.5	300	95	61	95	91
		35W	Multiple	200-240	5	480	94	62	96	92
		50W	COB	200-240	7.5	650	91	62	95	91
		50W	Multiple	200-240	8	650	92	61	95	89
		75W	Multiple	200-240	6.5	750	93	65	97	92
		75W	COB	100-240	9	900	95	60	95	90
	PAR20	20W 35W	COB	200-240	11 15	1000 600	95	60	96	89
	PAR30	75W	COB	200-240	17	1610	90	60	97	92
	PAR38	90W 200W	COB	200-240 100-240	13 20	1280 2000	90	61	95	91
	AR111	100W	12	12	16	1100	91	62	96	90
		125W	COB	12	23	2150	94	62	95	91
	AR70	50W	COB	12	7.5	650	93	61	95	91
	A11	40W	COB	100-240	6	650	95	61	95	92


SPOT Focus

- ◆ Narrow Beam Angle
- ◆ High Illuminance



◆ Beam Angle <15°

◆ High Illuminance





Product	Halogen Equivalent	LED	Voltage (V)	Power (W)	Flux (lm)	Rated Flux(lm)	Beam Angle	CBCP
 	20W	Multiple	12	3	225	200	13°	1560
	35W	Multiple	12	4	270	240	10°	4440
 	50W	COB	12	6	435	390	10°	5030
	50W	COB	12	7.5	600	540	10°	6070
  	50W	COB	200-240	6.5	650	590	10°	7000
	75W	Multiple	200-240	6.5	750	675	10°	6500
	75W	COB	100-240	9	900	810	15°	7100
	20W/35W	COB	200-240	11	1000	900	15°	7890
	35W	COB	200-240	17	1610	1450	15°	15210
	75W	COB	200-240	32	3400	3160	15°	27000

MCU



MCU based Dimmable Lamp

- ◆ Dimming Accurate
- ◆ Stable and Smooth
- ◆ Firmware program



◆ Dimming Accurate



◆ Stable and Smooth



◆ Firmware program



Product	Base	Voltage (V)	Power (W)
 PAR16	E11	100-120	5.5
	GU10	200-240	5.5

Pool & Spa Lamp

◆ Present color changing effect

The function of color-changing-automatically makes the pool look vivid and become the best place for guests to enjoy the party.



◆ These products are RGB + Tunable White.

Product		Base	Voltage (V)	Power (W)
	R86	E27	100-240	8
	BR40	E27	100-240	14



Beautiful Light,
Beautiful Life.